

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	, FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,478	06/26/2003	Sandeep Bhatia	14251US02	5641
	7590 10/03/200 S HELD & MALLOY,	EXAMINER		
500 WEST MADISON STREET SUITE 3400 CHICAGO, IL 60661			RAO, ANAND SHASHIKANT	
			ART UNIT	PAPER NUMBER
			2621	
			MAIL DATE	DELIVERY MODE
		•	10/03/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<u> </u>	Application No.	Applicant(s)	_			
	10/606,478	BHATIA ET AL.				
Office Action Summary	Examiner	Art Unit	_			
	Andy S. Rao	2621				
The MAILING DATE of this communication	ation appears on the cover sheet w	ith the correspondence address	_			
Period for Reply		MONTU(S) OR THIRTY (20) DAVS				
A SHORTENED STATUTORY PERIOD FOR WHICHEVER IS LONGER, FROM THE MA - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this community. If NO period for reply is specified above, the maximum statu. - Failure to reply within the set or extended period for reply with Any reply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	ILING DATE OF THIS COMMUNI 37 CFR 1.136(a). In no event, however, may a nication. Itory period will apply and will expire SIX (6) MOI III, by statute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed	on <u>7/24/07</u> .					
	,					
• —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice	under <i>Ex parte Quayle</i> , 1935 C.L). 11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-16,18 and 27</u> is/are pendin	g in the application.					
4a) Of the above claim(s) is/are	withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-16,18 and 27</u> is/are rejecte	d.					
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction	on and/or election requirement					
o)[_] Claim(s) are subject to restrict	on and/or election requirement.					
Application Papers						
9) The specification is objected to by the	Examiner.					
10) The drawing(s) filed on is/are:						
Applicant may not request that any objecti						
Replacement drawing sheet(s) including to 11) The oath or declaration is objected to l						
Tr) The battror declaration is objected to	by the Examiner. Note the attache	d Since Action of form 1 10 102.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for	or foreign priority under 35 U.S.C.	§ 119(a)-(d) or (f).				
a) All b) Some * c) None of:	acumenta have been received					
1. Certified copies of the priority d2. Certified copies of the priority d		Application No.				
3. Copies of the certified copies of						
application from the Internation						
* See the attached detailed Office action		t received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PT		(s)/Mail Date Informal Patent Application				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:					

Application/Control Number: 10/606,478 Page 2

Art Unit: 2621

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submissions filed on 6/25/07 and 7/24/07 have been entered.
- 2. Applicant's arguments with respect to claims 1-16, 18, and 27 as filed on 6/25/07 have been considered but are most in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an

international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 1, 8-10, and 18 rejected under 35 U.S.C. 102(e) as being anticipated by Kono et al., (hereinafter referred to as "Kono").

Kono discloses a system for displaying images on a display (Kono: figures 2-3), said system comprising: a decoder for decoding encoded images and parameters associated with the images, thereby resulting in decoded images and decoded parameters associated with the decoded images (Kono: column 2, lines 20-25); image buffers for storing the decoded images (Kono: column 2, lines 28-37); parameter buffers for storing the decoded parameters associated with the images (Kono: column 2, lines 55-62); and a display engine for receiving the decoded parameters from the parameter buffers and providing the decoded images for display using the decoded parameters stored in the parameter buffers (Kono: column 3, lines 20-30), as in claim 1.

Regarding claim 8, Kono disclose wherein the encoded images comprise compressed images (Kono: column 1, lines 20-40), as in the claim.

Regarding claim 9, Kono discloses wherein the parameters are encoded with a variable length code, and wherein the decoder decodes the variable length code (Kono: column 4, lines 30-57: MPEG video decoder having a conventional structure inherently incorporates variable length decoding), as in the claim.

Kono discloses a circuit for displaying images on a display (Kono: figures 2-3_, said circuit comprising: a decoder (Kono: column 2, lines 20-25); image buffers connected to the decoder and configured to store images decoded by the decoder (Kono: column 2, lines 28-37);

parameter buffers connected to the decoder and configured to store parameters associated with the images and decoded by the decoder (Kono: column 2, lines 55-62); and a display engine connected to the image buffers and the parameter buffers and configured to receive the decoded parameters from the parameter buffers and providing the decoded images for display using the decoded parameters stored in the parameter buffers (Kono: column 3, lines 20-30), as in claim 10.

Regarding claim 18, Kono discloses wherein the parameters are encoded with a variable length code, and wherein the decoder decodes the variable length code (Kono: column 4, lines 30-57: MPEG video decoder having a conventional structure inherently incorporates variable length decoding).

Claim Rejections - 35 USC § 103

5. Claims 2-7, 11, 17, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kono et al., (hereinafter referred to as "Kono") in view of Wu.

Kono discloses a system for displaying images on a display (Kono: figures 2-3), said system comprising: a decoder for decoding encoded images and parameters associated with the images, thereby resulting in decoded images and decoded parameters associated with the decoded images (Kono: column 2, lines 20-25); image buffers for storing the decoded images (Kono: column 2, lines 28-37); parameter buffers for storing the decoded parameters associated with the images (Kono: column 2, lines 55-62); and a display engine for receiving the decoded parameters from the parameter buffers and providing the decoded images for display using the decoded parameters stored in the parameter buffers (Kono: column 3, lines 20-30), as in claim 2. However, Kono fails to disclose wherein the encoded images and the parameters associated with

the images form portions of data packets, as in the claims. Wu discloses a display master control for which incorporates an MPEG decoder (Wu: column 7, lines 40-56; column 6, lines 25-60) and further discloses the use of packetization (Wu: column 7, lines 35-50) in order to generate sub-pictures with on screen data (Wu: column 8, lines 8-25). Accordingly, given this teaching, it would have been obvious at the time of the invention to incorporate the teaching of Wu's use of packetization into the Kono system in order to have the Kono system be able to generate sub-pictures with on screen data. The Kono system, now incorporating the Wu packetization teaching, has all of the features of claim 2.

Regarding claim 3, the Kono system, now incorporating the Wu packetization teaching, has wherein the data packets comprise headers, wherein the headers comprise the parameters (Kono: column 17, lines 25-35), as in the claim.

Regarding claim 4, the Kono system, now incorporating the Wu packetization teaching, has wherein the headers comprise picture layer headers (Kono: column 17, lines 25-35), as in the claim

Regarding claim 5, the Kono system, now incorporating the Wu packetization teaching, has wherein the headers comprise sequence layer headers (Kono: column 17, lines 25-35), as in the claim.

Regarding claim 6, the Kono system, now incorporating the Wu packetization teaching, has, wherein the data packets are associated with first headers and second headers, wherein the first headers comprise a portion of the parameters, and wherein the second headers comprise another portion of the parameters (Kono: column 17, lines 25-35; column 2, lines 3-15.

Regarding claim 7, the Kono system, now incorporating the Wu packetization teaching, has wherein the first headers comprise picture layer parameters and wherein the second headers comprise sequence layer parameters (Kono: column 2, lines 3-15), as in the claim.

Kono discloses a circuit for displaying images on a display (Kono: figures 2-3), said circuit comprising: a decoder (Kono: column 2, lines 20-25); image buffers connected to the decoder and configured to store images decoded by the decoder (Kono: column 2, lines 28-37); parameter buffers connected to the decoder and configured to store parameters associated with the images and decoded by the decoder (Kono: column 2, lines 55-62); and a display engine connected to the image buffers and the parameter buffers and configured to receive the decoded parameters from the parameter buffers and providing the decoded images for display using the decoded parameters stored in the parameter buffers (Kono: column 3, lines 20-30), as in claim 11. However, Kono fails to disclose wherein the encoded images and the parameters associated with the images form portions of data packets, as in the claims. Wu discloses a display master control for which incorporates an MPEG decoder (Wu: column 7, lines 40-56; column 6, lines 25-60) and further discloses the use of packetization (Wu: column 7, lines 35-50) in order to generate sub-pictures with on screen data (Wu: column 8, lines 8-25). Accordingly, given this teaching, it would have been obvious at the time of the invention to incorporate the teaching of Wu's use of packetization into the Kono system in order to have the Kono system be able to generate sub-pictures with on screen data. The Kono system, now incorporating the Wu packetization teaching, has all of the features of claim 11.

Regarding claim 12, the Kono system, now incorporating the Wu packetization teaching, has wherein the data packets comprise headers, wherein the headers comprise the parameters (Kono: column 17, lines 25-35), as in the claim.

Regarding claim 13, the Kono system, now incorporating the Wu packetization teaching, has wherein the headers comprise picture layer headers (Kono: column 17, lines 25-35), as in the claim

Regarding claim 14, the Kono system, now incorporating the Wu packetization teaching, has wherein the headers comprise sequence layer headers (Kono: column 17, lines 25-35), as in the claim.

Regarding claim 15, the Kono system, now incorporating the Wu packetization teaching, has, wherein the data packets are associated with first headers and second headers, wherein the first headers comprise a portion of the parameters, and wherein the second headers comprise another portion of the parameters (Kono: column 17, lines 25-35; column 2, lines 3-15.

Regarding claim 16, the Kono system, now incorporating the Wu packetization teaching, has wherein the first headers comprise picture layer parameters and wherein the second headers comprise sequence layer parameters (Kono: column 2, lines 3-15), as in the claim.

Kono discloses a system for displaying images on a display (Kono: figures 2-3), said system comprising: a decoder for decoding encoded images and parameters associated with the images, thereby resulting in decoded images and decoded parameters associated with the decoded images (Kono: column 2, lines 20-25); image buffers for storing the decoded images (Kono: column 2, lines 28-37); parameter buffers for storing the decoded parameters associated with the images (Kono: column 2, lines 55-62); and a display engine for receiving the decoded

parameters from the parameter buffers and providing the decoded images for display using the decoded parameters stored in the parameter buffers (Kono: column 3, lines 20-30), wherein the decoded parameters include at least one parameters selected from a group consisting of top first field and repeat first field (Kono: column 2, lines 10-15), as in claim 27. However, Kono fails to disclose that the wherein the decoded parameters include at least one parameters also includes a presentation time stamp, as in the claim. Wu discloses a display master control for which incorporates an MPEG decoder (Wu: column 7, lines 40-56; column 6, lines 25-60) and further discloses the use of packetization (Wu: column 7, lines 35-50) including the use of presentation time stamps (Wu: column 8, lines 55-65) in order to generate sub-pictures with on screen data (Wu: column 8, lines 8-25). Accordingly, given this teaching, it would have been obvious at the time of the invention to incorporate the teaching of Wu's use of packetization including presentation time stamps into the Kono system in order to have the Kono system be able to generate sub-pictures with on screen data. The Kono system, now incorporating the Wu packetization teaching including presentation time stamps, has all of the features of claim 27.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andy S. Rao whose telephone number is (571)-272-7337. The examiner can normally be reached on Monday-Friday 8 hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on (571)-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andy S. Rao Primary Examiner

Art Unit 2621

asr

September 27, 2007